

昭51.1.29  
清澄作業所

17/F  
女港2号 直径

No. 2-1

| No. | d <sub>1</sub> | d <sub>2</sub> | T        | d <sub>1</sub> | d <sub>2</sub> | 前回 d <sub>1</sub> | d <sub>2</sub> |
|-----|----------------|----------------|----------|----------------|----------------|-------------------|----------------|
| 1   | 29.2 cm        | 27.0 cm        | 28.10 cm | 22.2           | 27.8 30.00     | 27.0 cm           | 24.4 cm        |
| 2   | 28.4           | 26.6           | 27.50    | 30.2           | 29.6 29.90     | 27.0              | 26.2           |
| 3   | 21.4           | 21.2           | 21.30    | 22.2           | 22.2 22.20     | 21.4              | 20.8           |
| 6   | 23.6           | 23.4           | 23.50    | 24.4           | 24.8 24.60     | 22.2              | 22.8           |
| 7   | 16.4           | 15.8           | 16.10    | 16.4           | 15.8 16.10     | 16.2              | 15.8           |
| 9   | 13.4           | 12.8           | 13.10    | 13.4           | 13.4 13.40     | 13.0              | ? 13.3         |
| 11  | 22.4           | 20.6           | 21.50    | 22.8           | 22.2 22.50     | 21.8              | 20.6           |
| 12  | 17.0           | 15.0           | 16.00    | 17.4           | 16.4 16.90     | 16.2              | 14.2           |
| 13  | 20.4           | 20.2           | 20.30    | 20.6           | 20.4 20.50     | 19.6              | 18.8           |
| 15  | 26.8           | 25.2           | 26.00    | 29.2           | 29.0 29.10     | 24.5              | 23.4           |
| 16  | 23.8           | 23.0           | 23.40    | 24.6           | 24.4 24.00     |                   |                |
| 17  | 21.4           | 23.4           | 22.40    | 22.6           | 23.8 23.20     | 20.2              | 21.4           |
| 19  | 19.0           | 20.0           | 19.50    | 19.8           | 21.2 20.50     | 18.2              | 18.5           |
| 21  | 17.2           | 17.4           | 17.30    | 17.2           | 18.0 17.60     | 17.0              | 17.4           |
| 25  | 21.2           | 20.4           | 20.80    | 22.4           | 22.0 22.20     | 19.5              | 19.0           |
| 29  | 14.6           | 15.6           | 15.10    | 14.6           | 16.2 15.40     | 14.0              | 15.0           |
| 30  | 17.4           | 17.2           | 17.30    | 18.0           | 18.2 18.10     | 16.5              | 17.0           |
| 36  | 18.8           | 17.6           | 18.20    | 19.2           | 18.6 18.90     | 17.6              | 17.0           |
| 39  | 20.4           | 18.6           | 19.50    | 20.8           | 19.0 19.90     | 19.6              | 18.2           |
| 40  | 21.8           | 21.8           | 21.80    | 22.6           | 23.0 22.80     | 20.8              | 21.0           |
| 43  | 25.2           | 24.6           | 24.90    | 27.8           | 26.8 26.80     | 24.5              | 23.5           |
| 47  | 25.2           | 23.8           | 24.50    | 26.0           | 25.4 25.70     | 24.6              | 23.4           |
| 49  | 23.0           | 21.4           | 22.20    | 24.0           | 23.0 23.50     | 22.0              | 20.2           |
| 51  | 20.6           | 20.6           | 20.60    | 20.8           | 20.8 20.80     | 20.2              | 20.2           |
| 53  | 16.0           | 15.6           | 15.80    | 15.8           | 15.6 15.70     | 16.0              | 15.5           |
| 54  | 20.6           | 21.2           | 20.90    | 21.4           | 21.8 21.35     | 19.4              | 19.8           |
| 57  | 18.8           | 19.6           | 19.20    | 19.2           | 19.4 19.30     | 18.4              | 18.4           |
| 60  | 16.6           | 16.2           | 16.40    | 16.8           | 16.8 16.80     | 16.5              | ? 17.0         |
| 62  | 26.2           | 27.8           | 27.00    | 28.2           | 27.8 28.00     | 25.8              | 26.2           |
| 64  | 27.4           | 25.4           | 26.40    | 28.8           | 27.6 28.20     | 25.0              | ? 25.8         |
| 66  | 20.6           | 20.2           | 20.40    | 20.2           | 21.4 20.30     | 20.5              | ? 20.5         |
| 70  | 23.0           | 22.4           | 22.70    | 23.4           | 22.4 22.90     | 21.8              | 21.8           |
| 75  | 26.4           | 25.6           | 26.00    | 28.2           | 27.0 27.60     | 25.4              | 24.8           |

昭51.1.29  
清澄作業所

女滝2号 直径

No. 2-2

| No. | $d_1$ | $d_2$ | $\bar{d}$ | $d_1$ | $d_2$ | 前回 $d_1$ | $d_2$   |
|-----|-------|-------|-----------|-------|-------|----------|---------|
| 79  | 30.8  | 30.6  | 30.70     | 32.4  | 30.8  | 29.0 cm  | 28.5 cm |
| 88  | 32.6  | 30.4  | 31.50     | 34.2  | 32.2  | 30.6     | 28.2    |
| 92  | 30.4  | 30.6  | 30.50     | 31.8  | 33.2  | 28.0     | 29.0    |
| 102 | 29.4  | 29.2  | 29.30     | 30.2  | 29.4  | 27.4     | 26.4    |
| 113 | 21.6  | 21.6  | 21.60     | 21.8  | 22.4  | 20.6     | 20.6    |

No. 106 はカ

昭51.1.29  
清澄作業所

女滝2号 直径

No. 2-1

| No. | d <sub>1</sub> | d <sub>2</sub> | T                | d <sub>1</sub> | d <sub>2</sub> | 前回 d <sub>1</sub> | d <sub>2</sub> |
|-----|----------------|----------------|------------------|----------------|----------------|-------------------|----------------|
| 1   | 29.2 cm        | 27.0 cm        | cm               | 22.2           | 27.8           | 27.0 cm           | 24.4 cm        |
| 2   | 28.4           | 26.6           |                  | 30.2           | 29.6           | 27.0              | 26.2           |
| 3   | 21.4           | 21.2           |                  | 22.2           | 22.2           | 21.4              | 20.8           |
| 6   | 23.6           | 23.4           |                  | 24.4           | 24.8           | 22.2              | 22.8           |
| 7   | 16.4           | 15.8           |                  | 16.4           | 15.8           | 16.2              | 15.8           |
| 9   | 13.4           | 12.8           |                  | 13.4           | 13.4           | 13.0              | 13.3           |
| 11  | 22.4           | 20.6           |                  | 22.8           | 22.2           | 21.8              | 20.6           |
| 12  | 17.0           | 15.0           |                  | 17.4           | 16.4           | 16.2              | 14.2           |
| 13  | 20.4           | 20.2           |                  | 20.6           | 20.4           | 19.6              | 18.8           |
| 15  | 26.8           | 25.2           | 新<br>山<br>番<br>号 | 29.2           | 29.0           | 24.5              | 23.4           |
| 16  | 23.8           | 23.0           |                  | 24.8           | 24.4           |                   |                |
| 17  | 21.4           | 23.4           |                  | 22.6           | 22.8           | 20.2              | 21.4           |
| 19  | 19.0           | 20.0           |                  | 19.8           | 21.2           | 18.2              | 18.5           |
| 21  | 17.2           | 17.4           |                  | 17.2           | 18.0           | 17.0              | 17.4           |
| 25  | 21.2           | 20.4           |                  | 22.4           | 22.0           | 19.5              | 19.0           |
| 29  | 14.6           | 15.6           |                  | 14.6           | 16.2           | 14.0              | 15.0           |
| 30  | 17.4           | 17.2           |                  | 18.0           | 18.2           | 16.5              | 17.0           |
| 36  | 18.8           | 17.6           |                  | 19.2           | 18.6           | 17.6              | 17.0           |
| 39  | 20.4           | 18.6           |                  | 20.8           | 19.0           | 19.6              | 18.2           |
| 40  | 21.8           | 21.8           |                  | 22.6           | 23.0           | 20.8              | 21.0           |
| 43  | 25.2           | 24.6           |                  | 27.8           | 25.8           | 24.5              | 23.5           |
| 47  | 25.2           | 23.8           |                  | 26.0           | 25.4           | 24.6              | 23.4           |
| 49  | 23.0           | 21.4           |                  | 24.0           | 23.0           | 22.0              | 20.2           |
| 51  | 20.6           | 20.6           |                  | 20.8           | 20.8           | 20.2              | 20.2           |
| 53  | 16.0           | 15.6           |                  | 15.8           | 15.6           | 16.0              | 15.5           |
| 54  | 20.6           | 21.2           |                  | 21.4           | 21.3           | 19.4              | 19.8           |
| 57  | 18.8           | 19.6           |                  | 19.2           | 19.4           | 18.4              | 18.4           |
| 60  | 16.6           | 16.2           |                  | 16.8           | 16.8           | 16.5              | 17.0           |
| 62  | 26.2           | 27.8           |                  | 28.2           | 27.8           | 25.8              | 26.2           |
| 64  | 27.4           | 25.4           |                  | 28.8           | 27.6           | 25.0              | 25.8           |
| 66  | 20.6           | 20.2           |                  | 20.2           | 20.4           | 20.5              | 20.5           |
| 70  | 23.0           | 22.4           |                  | 23.4           | 22.4           | 21.8              | 21.8           |
| 75  | 26.4           | 25.6           |                  | 28.2           | 27.0           | 25.4              | 24.8           |

1957.1.29

清澄作業所

女境2号

直径

No. 2-2

| No.           | $d_1$ | $d_2$ | $\bar{d}$ | $d_1, d_2$ | 前回 $d_1$ | $d_2$   |
|---------------|-------|-------|-----------|------------|----------|---------|
| 79            | 30.8  | 30.6  |           | 32.4 30.8  | 29.0 cm  | 28.5 cm |
| 88            | 32.6  | 30.4  |           | 34.2 32.2  | 30.6     | 28.2    |
| 92            | 30.4  | 30.6  |           | 31.8 33.2  | 28.0     | 29.0    |
| 102           | 29.4  | 29.2  |           | 30.2 29.4  | 27.4     | 26.4    |
| 113           | 21.6  | 21.6  |           | 21.8 22.4  | 20.6     | 20.6    |
| No. 106 15 力V |       |       |           |            |          |         |

女渡 2号

No. \_\_\_\_\_

56.2.6

| No. | ブー-ラバ記録    | (傾斜) | 他    | 樹高   |
|-----|------------|------|------|------|
| 3   | 17.1 - 0.4 | +5   |      | 15   |
| 9   | 14.4 + 1.4 | +7   |      |      |
| 11  | 14.3 + 2.7 | -3   |      |      |
| 13  | 15.4 + 1.3 | 0    |      | 15.4 |
| 19  | 13.5 + 2.8 | -4   |      |      |
| 39  | 16.3 + 1.2 | 0.   |      |      |
| 43  | 15.6 + 0.9 | 0.   | +2.0 |      |
| 47  | 17.3 + 1.0 | -5   | +2.0 |      |
| 49  | 16.9 + 0.8 | +4   | +2.0 |      |
| 53  | 13.1 + 5.7 | -9   | 0    |      |
| 57  | 14.0 + 5.9 | -14  |      |      |
| 62  | 19.6 + 1.9 | 0    | 0    |      |
| 66  | 15.9 + 3.0 | -12  | +2.0 |      |
| 75  | 19.5 + 3.2 | -5   | 0    |      |
| 79  | 19.1 + 2.8 | -5   | 0    |      |
| 88  | 18.3 + 2.4 | -10  | +2.0 |      |
| 102 | 19.0 + 1.1 | -5.  | +2.0 |      |

# 女漫 2号

No. \_\_\_\_\_

| No. | 7il-131520 | (傾斜) | 地    | 樹高    |    |
|-----|------------|------|------|-------|----|
| 3   | 17.1 - 0.4 | +5   |      | 16.57 | 15 |
| 9   | 14.4 + 1.4 | +7   |      | 12.81 |    |
| 11  | 14.3 + 2.7 | -3   |      | 16.95 |    |
| 13  | 15.4 + 1.3 | 0    |      | 16.70 | 15 |
| 19  | 13.5 + 2.8 | -4   |      | 16.22 |    |
| 39  | 16.3 + 1.2 | 0    |      | 17.50 |    |
| 43  | 15.6 + 0.9 | 0    | +2.0 | 18.50 |    |
| 47  | 17.3 + 1.0 | -5   | +2.0 | 20.16 |    |
| 49  | 16.9 + 0.8 | +4   | +2.0 | 19.61 |    |
| 53  | 13.1 + 5.7 | -9   | 0    | 18.34 |    |
| 57  | 14.0 + 5.9 | -14  |      | 18.74 |    |
| 62  | 19.6 + 1.9 | 0    | 0    | 21.50 |    |
| 66  | 15.9 + 3.0 | -12  | +2.0 | 20.08 |    |
| 75  | 19.5 + 3.2 | -5   | 0    | 22.53 |    |
| 79  | 19.1 + 2.8 | -5   | 0    | 21.73 |    |
| 88  | 18.3 + 2.4 | -10  | +2.0 | 22.08 |    |
| 102 | 19.0 + 1.1 | -5   | +2.0 | 21.95 |    |