

1110-12120624 (X1203)

No.	直径 cm	No.	树高 m
6	26.70	9	26.5
9	* 47.50	18	22.7
13	41.30	33	24.1
18	* 22.60	41	28.8
22	44.50	42	27.6
31	25.20	63	26.6
33	* 29.20	71	28.6
34	41.50	78	24.5
41	* 36.90	88	29.1
42	* 32.90	97	27.3
47	35.60	108	27.0
63	* 26.10	115	27.2
66	24.00	116	22.5
69	33.00	121	26.1
71	* 50.85	125	25.5
78	* 24.20		
82	39.00		
86	32.30		
88	* 39.60		
89	34.00		
93	41.60		
97	* 36.40		
99	30.10		
108	* 35.10		
114	46.30		
115	* 39.00		
116	* 29.00		
121	* 41.20		
125	* 34.50		
130	26.10		

昭51.1.28
清澄作業所

スサ

No. _____

記録・竹内・測定鈴木

女滝3号 標準木樹高

No.	7M-15尺諸寸 (傾斜)	他	樹高 m	前回樹高 m	前回直径 cm
9	31.5-6.0	(+11°) +2.0	26.5	-	43.95
18	22.2-1.5	(+3°) +2.0	22.7	21.54	22.30
33	25.5-3.0	(+9°) +2.0	24.1	23.60	29.20
41	28.5-1.4	(+4°) +2.0	28.8	26.19.7	35.15
42	28.4-2.3	(+7°) +2.0	27.6	30.81	32.10
63	23.8+0.8	(-2°) +2.0	26.6	22.72	25.50
71	28.5-1.6	(+5°) +2.0	28.6	-	45.50
78	21.5+1.0	(-3°) +2.0	24.5	25.55	24.00
88	24.5+3.4	(-10°) +2.0	29.1	30.59	38.00
97	21.9+5.6	(-16°) +2.0	27.3	-	33.75
108	23.0+2.5	(-7°) +2.0	27.0	24.62	35.00
115	24.2+ 1.8	(-3°) +2.0	27.2	25.33	36.70
116	19.5+1.2	(-4°) +2.0	22.5	23.16	28.20
121	22.0+2.6	(-7°) +2.0	26.1	-	39.90
125	20.0+5.0	(-14°) +2.0	25.5	-	31.65

4277

41	28.5-1.7	(+5°) +2.0	28.5		
108	21.6+2.7	(-8°) +2.0	25.8		
115	23.5+1.2	(-3°) +2.0	26.7		
63	23.8+0.7	(-2°) +2.0	26.5		

記錄・竹内・測定鈴木(宅)

女境号 標準木樹高

No. _____

41	28.5 - 1.7	(+5°)	+2.0	28.5
108	21.6 + 2.7	(-8°)	+2.0	25.8
115	23.5 + 1.2	(-3°)	+2.0	26.7
63	23.8 + 0.7	(-2°)	+2.0	26.5

4277

773 53-31

昭51.1.29
清澄作業所

2和
女滝3号 直径

No. 1-1

No.	d ₁	d ₂	直径	備考	前回 d ₁	d ₂
6	26.8 cm	26.6 cm	cm		26.4 cm	26.6 cm
9	49.0	46.0			45.3	42.6
13	43.2	39.4			40.3	39.0
18	23.6	21.6			23.0	21.6
22	46.2	42.8			43.5	40.5
31	25.4	25.0			24.8	24.2
33	30.2 29.8	38.2 38.8			30.2	28.2
34	43.2	39.8			41.8	38.6
41	39.8	36.0			35.5	34.8
42	33.8	32.0			32.6	31.6
47	35.4	35.8			34.5	34.0
63	26.8	25.4		26	? 27.0	24.0
66	24.0	24.0			23.8	23.5
69	33.4	32.6			33.2	32.2
71	55.5	46.2			48.0	43.0
78	24.4	24.4			24.4	23.6
82	39.2	38.8			36.0	35.3
86	32.8	31.8			30.8	31.2
88	40.0	39.2			38.5	37.5
89	32.6	35.4			32.0	31.8
93	42.2	41.0			40.8	39.6
97	38.0	34.8			36.0	31.5
99	29.0	31.2			28.5	30.0
108	34.6	35.6			34.4	35.6
114	49.0	45.6			45.2	43.2
115	41.0	37.0 37.2			38.2	35.2
116	30.8	30.2 30.2			29.2	27.2
121	40.8	41.6			39.6	40.2
125	34.4	34.6			33.5	29.8
130	26.0	26.2			25.8	25.4

30