

5/1. 1. 28 am 南沢 3号 スギ

No	D1	D2	DM	新+ D1	D2	DM	
1	42.5	51.0	46.75	41.4	47.0	44.20	
2	37.0	36.1	36.55	33.7	33.2	33.45	
5	45.4	46.0	45.70	B15			
9	50.2	52.5	51.35	B.22			
12	31.2	28.7	29.95	28.6	29.2	28.90	
15	46.0	48.5	47.25	43.2	42.0	42.60	B.D. クサレ 皮ハガレ
26	42.2	44.2	43.20	B16			ク. クサレ
31	47.2	51.0	49.10	46.2	49.4	47.80	
33	31.0	33.6	32.30	B18			
38	29.6	31.8	30.70	B.25.			ヒガイ
40	41.2	41.4	41.30	B.23			
45	P=222.0		70.60	P=202.0		64.30	
47	41.5	42.0	41.75	39.7	38.2	38.95	ヒガイ
50	P=190.5		60.60	B.24			〃
54	41.5	41.0	41.25	B.20			〃
61	30.6	32.0	31.30	28.0	30.0	29.00	
46	P=196.0		62.40	B.34			
71	47.1	47.2	47.15	B.26			〃
79	46.2	42.5	44.35	42.0	39.6	40.80	〃
83	40.4	37.3	38.85	B.28			〃
86	46.0	46.1	46.05	B.27			〃
87	26.7	31.1	28.90	B.33			〃
88	40.2	41.4	40.80	B.36			〃
91	41.6	38.5	40.05	38.0	36.0	37.00	〃
94	50.0	52.0	51.00	46.0	44.6	45.30	〃
101	P=197.0		62.70	B37			〃
109	55.0	54.5	54.75	50.0	49.2	49.10	〃
114	42.6	42.0	42.30	45.0	40.3	42.65	〃 B.D. クサレ
122	36.2	34.4	35.30	B30			〃
124	45.4	45.3	45.35	B32			
127	P=175.0		55.70	B38			〃
129	29.2	29.0	29.10	B39			

No. 2

コクヨ シヨ-31

昭和
清澄作業所

硯石クヌ 直径

No. 2-1

No.	d ₁	d ₂	α	備考	前回 d ₁	d ₂	前回備考
1	cm	cm			38.3 cm	37.0 cm	
2					30.0	27.4	
3					30.8	28.6	
4					31.4	23.2	
5					32.4	30.4	胸高20cm上 毛測り
6					36.8	35.2	同 30cm
7					29.2	28.4	
8					26.0 25.8	26.2 24.8	} 又木・同 30cm
9					40.4	37.0	
10					27.2	27.2	
11					25.8	23.4	
12					34.6	32.6	
13					33.4	29.6	
14					23.0	21.4	
15					20.2	21.2	木ノノ d≒10cmあり
16					24.4	22.6	
17					24.0	21.4	
18					29.4	26.4	
19					20.4	19.2	
20					24.8	23.8	
21					30.4	26.8	
22					28.4	24.2	
23					29.0	28.2	
24					24.4	22.2	
25					26.6	24.2	
26					31.0	25.4	
27					36.6	31.6	
28					40.4	37.0	
29					28.4	25.2	
30					41.0	36.8	
31					23.8	24.6	
32					27.0	25.0	

昭51.
清澄作業所

No. 2-2

硯石 又 直徑

No.	d_1	d_2	$\bar{d}$	備考	前回 d_1	d_2	前回備考
33					50.1	47.8	
北下 34					40.4	40.6	
35					23.4	20.8	
36					27.8	28.6	
37					28.8	26.0	
38					24.0	23.8	
39					34.8	31.6	
40					37.0	36.8	

長谷川

糖谷(重)

No.

青パン字
旧 + 印

南沢 3号 スギ

51. 1. 28 am

No	(新) D1	D2	DM	No	D1	D2	DM
✓ 1	41.4 42.5	51.0	46.85 38.80	✓ 135	27.5	27.85	B31
✓ 2	47.0 44.20 37.0	36.7	36.65 33.2 33.45	✓ 137	35.4	35.50	32.8 32.4 32.6
✓ 5	45.4	46.0	45.70 B15	✓ 140	28.8	28.4	28.0 B.D. 27.8
✓ 9	50.2 48.8	52.5	51.35 B.22	✓ 147	57.2	53.5	53.35 B49
✓ 12	31.2	28.7	28.6 28.90	✓ 151	31.2	31.3	31.25 B48
✓ 15	43.0 42.0 42.60 46.0	48.5	47.25 B.D. 74.2	✓ 152	41.0	40.0	40.50 B41
✓ 26	42.2	44.2	43.20 B.D. 19.5 B 16	✓ 154	42.7	45.1	43.90 B 40
✓ 31	46.2 47.4 47.80 47.2	51.0	49.10 B	✓ 163	P=	183.0	58.20 B50
✓ 33	31.0	33.6	32.30 B 18	✓ 167	42.7	40.5	40.2 40.5 40.3
✓ 38	29.6	31.8	30.70 B25	✓ 169	28.0	27.0	27.5 26.2 26.8
✓ 40	41.2	41.4	41.30 B.23	✓ 177	30.2	37.0	33.60 B42
✓ 45	P=	222.0	70.60 P=202.0	✓ 179	30.7	29.8	30.25 B43
✓ 47	41.5	42.0	41.75 39.7 38.2 38.95	✓ 181	38.2	38.2	38.20 B44
✓ 50	P=	190.5	60.60 B24	✓ 192	40.6	45.0	42.80 B51
✓ 54	41.5	41.0	41.25 B20	✓ 193	38.0	36.6	37.30 37.3 36.8
✓ 61	30.6	32.0	31.30 28.0 29.00	✓ 197	54.3	53.2	53.85 52.0 49.4 50.0
✓ 66	P=	196.0	62.40 B.34	✓ 198	34.4	36.8	35.60 34.0 34.7 34.3
✓ 71	47.1	47.2	47.15 B.26	✓ 204	33.8	35.2	34.50 33.2 33.2 33.2
✓ 79	46.2	42.5	44.35 42.0 40.80	✓ 213	46.5	46.0	46.25 B47
✓ 83	40.4	37.3	38.85 B.28	✓ 214	P=	200.0	63.80 B46
✓ 86	46.0	46.1	46.05 B27	✓ 221	35.7	35.0	35.35 B55
✓ 87	26.7	31.1	28.90 B33	✓ 224	43.5	41.0	42.95 B.54
✓ 88	40.2	41.4	40.80 B36	✓ 226	37.3	37.0	37.15 B53
✓ 91	41.6	38.5	40.0 36.0 37.00	✓ 234	31.0	31.2	31.10 同い。 31.4
✓ 94	50.0	52.0	51.00 44.6 45.30	✓ 238	(25.0	24.6	24.80 枯
✓ 101	P=	197.0	62.7 B37	✓ 242	27.0	27.1	27.05 B64 前旧書
✓ 109	55.0	54.5	54.85 50.0 49.10	✓ 244	42.6	45.7	44.15 B63
✓ 114	42.6	42.0	42.3 45.0 13.0 40.3 40.3 41.2	✓ 245	48.6	48.7	48.65 B62
✓ 122	36.2	34.4	35.30 B30				
✓ 124	45.4	45.3	45.35 B32				
✓ 127	P=	175.0	55.70 B38				
✓ 129	29.2	29.0	29.10 B39				

硯石72、標準木樹高

No.	ブナノミナシノミナシ (傾斜)	地	樹高	前回樹高	前回直径
			m	m	cm
3				—	39.70
4				—	27.30
5				20.54	31.40
9				19.67	38.70
11				19.02	24.60
14				20.58	22.20
18				—	27.90
19				17.17	19.80
22				19.30	26.30
23				—	28.60
25				—	25.40
27				—	34.10
28				14.31	38.70
31				—	24.20
34				—	40.50
36				—	28.20
38				16.07	23.90
40				21.59	36.90

記錄・竹内

大平1号標準木樹高

No. _____

No.	7"V-メライズ読計 (傾斜)	他	樹高	前回樹高	前回直径
	m		m	m	cm
2	12.5 + 4.6	(-14°)	16.1	18.85 大	19.05
3	13.5 + 4.6	(-13°)	17.2	20.90 大	25.65
16	13.5 + 5.8	(-17°)	17.6	18.25 大	22.90
20	17.0 + 1.0	(+1°)	18.0	-	25.85
29	14.0 + 1.0	(3°)	15.0	21.58 大	24.10
30	18.4 + 0.8	(3°)	19.2	17.23	19.10
49	15.5 + 2.5	(2°)	18.0	-	28.80
59	15.5 + 1.2	(0°)	16.7	14.72 小	22.80
69	18.5 + 0.5	(2°)	19.0	16.63	21.00
80	15.0 + 2.5	(-4°)	17.3	19.24	23.00
84	15.0 + 2.5	(-4°)	17.3	16.99	23.05
89	15.5 + 2.0	(-3°)	17.5	16.98	25.40
126	カレ		-	19.21 大	20.85
133	15.5 + 4.8	(-11°)	19.5	20.99	28.85
144	カレ		-	15.80 小	16.65
145	20.5 + 2.5	(-10°)	+1.7	-	31.15
151	13.0 + 5.3	(-14°)	17.2	17.91	18.65
110	伐採				
154	伐採				
4エツクの為、測定しなおし。					
3	13.5 + 2.3	(9°)	+2.3	17.8	
80	13.0 + 3.5	(-5°)	16.3		

昭51.1.27
 清查作業所
 記録・竹内

大平2号標準木樹高

No. _____

NO.	ブーメラン読計 (傾斜)	他	樹高	前回樹高	前回直径
	m		m	m	cm
2	12.5 + 0.4	(0°)	+2.0	14.9	— 20.40
6	12.0 - 0.1	(0°)	+2.0	13.9	13.42 18.40
9	11.5 + 0.8	(-3°)	+2.0	14.3	14.25 22.00
10	11.5 + 1.5	(-7°)	+2.0	14.7	14.12 18.80
12	12.0 + 0.0	(0°)	+2.0	14.0	— 16.20
17	13.0 + 2.5	(10°)	+2.0	17.0	18.08 27.10
18	12.0 + 1.0	(-4°)	+3.0	15.9	— 24.00
22	14.0 - 0.5	(+2°)	+2.0	15.5	— 13.70
28	11.5 + 1.0	(-4°)	+2.0	14.4	15.71 ⁺ 19.70
31	11.0 + 2.6	(-10°)	+2.0	15.2	— 19.95
32	11.0 + 2.5	(-10°)	+2.0	15.1	15.50 18.90
37	15.0 + 0.5	(-2°)	+2.0	17.5	18.59 26.20
50	11.5 + 0.8	(-3°)	+2.0	14.3	13.73 17.50
53	12.0 + 2.0	(-8°)	+2.0	15.7	— 20.95
57	11.5 + 1.5	(-6°)	+2.0	14.9	15.97 24.30
73	11.6 + 1.1	(-4°)	+2.0	14.6	— 19.40
76	11.0 + 2.1	(-8°)	+2.0	14.8	17.65 ⁺ 17.15
80	10.9 + 2.0	(-7°)	+2.0	14.6	14.14 17.10
81	11.0 + 2.2	(-8°)	+2.0	14.9	— 15.30
85	15.3 + 0.2	(0°)	+2.0	17.5	— 23.40
92	19.0 - 0.6	(+2°)	+2.0	20.4	20.76 26.80
101	12.5 + 0.5	(-1°)	+2.0	15.0	14.87 22.30
106	10.5 + 3.5	(-13°)	+2.0	15.3	— 20.90
109	14.5 + 0.5	(-2°)	+2.0	17.0	17.26 22.50
116	18.5 + 2.2	(-8°)	+2.0	22.3	21.15 33.40
119	カレ			—	— 13.10
123	12.7 + 0.0	(0°)	+2.0	14.7	— 16.65
48	伐採				
96	伐採				
122	伐採				

7-7 No. 6-17 ウラジロカン 伐倒

昭51.1.28

清澄作業所

記録: 竹内

南沢3号 標準木樹高

No. _____

No.	ブーメラン読み (傾斜)	他	樹高	前回樹高	前回直径	
	m		m	m	cm	
1	20.9 + 4.3	(-12°)	+3.0	27.2	27.35	45.75
2	18.3 + 3.6	(-10°)	+3.0	24.2	26.02	35.10
5	19.0 + 3.5	(-10°)	+3.0	24.8	26.09	42.90
31	19.5 + 5.3	(-15°)	+3.0	26.1	29.06	47.75
45	25.0 + 2.8	(-8°)	+3.0	30.2	31.33	65.6
47	20.0 + 3.2	(-9°)	+3.0	25.7	25.92	40.40
54	20.0 + 3.0	(-9°)	+3.0	25.5	26.91	40.10
66	22.5 + 4.2	(-12°)	+3.0	28.6	—	59.2
83	16.0 + 5.5	(-15°)	+3.0	23.0	21.87 _h	37.50
86	21.0 + 5.0	(-14°)	+3.0	27.4	31.60 _h	43.60
87	17.0 + 7.0	(-20°)	+3.0	24.1	25.01 _h	28.30
127	20.0 + 2.7	(-8°)	+3.0	25.2	26.91	55.7
137	14.8 + 4.4	(-12°)	+3.0	21.4	21.77 _h	34.30
140	16.8 + 3.2	(-6°)	+3.0	21.8	21.40	28.90
152	22.0 + 4.2	(-12°)	+3.0	28.2	27.05	38.40
154	18.8 + 4.4	(-12°)	+3.0	25.3	31.40 _h	41.00
163	21.0 + 4.0	(-11°)	+3.0	27.0	26.69	52.50
167	19.3 + 2.4	(-7°)	+3.0	24.3	24.45	40.40
169	22.0 + 0.6	(-2°)	+3.0	23.6	23.24	27.40
181	17.7 + 4.7	(-13°)	+3.0	24.3	25.19	37.45
192	18.0 + 3.0	(-10°)	+3.0	23.4	23.25	39.60
193	19.5 + 4.0	(-11°)	+3.0	25.6	25.23	35.85
204	14.0 + 7.1	(-20°)	+3.0	21.6	21.88	33.10
214	22.0 + 6.2	(-17°)	+3.0	28.7	29.43	57.50
238	カレ				21.81	24.75
135	16.5 + 2.0	(-5°)	+3.0	21.3		27
242	先折れ					27
折れ, 7						
45	25.5 + 1.4	(-4°)	+3.0	29.6		
66	20.0 + 7.0	(-13°)	+3.0	28.7		

昭51.1.27
清澄作業所
記録・竹内

二の台標準木樹高

No. _____

No.	ブーメラン	読み(傾斜)	他	樹高	前回樹高	前回直径
20	20.0+0.1	(-0°30')	+2.0	22.1		
22	18.0+1.1	(-3°)	+2.0	21.1		
23	20.0+0.0	(0°)	+2.0	22.0		
36	カレ			—		
38	カレ			—		
44	22.5-1.0	(+3°)	+2.0	23.5		
47	7レの為、標準木廃止			—		
60	20.0-0.4	(+1°)	+2.0	21.6		
62	16.9+1.6	(-5°)	+2.0	20.3		
69	カレ			—		
78	22.0-0.5	(+1°)	+2.0	23.5		
83	カレ			—		
88	21.0+0.0	(0°)	+2.0	23.0		
100	17.5+1.4	(-4°)	+2.0	20.7		
106	18.0+2.0	(-6°)	+2.0	21.8		
116	17.6+1.5	(-4°)	+2.0	20.9		
121	21.0+1.0	(-3°)	+2.0	24.0		
147	17.5+0.5	(-2°)	+2.0	20.0		
157	20.0+1.8	(-5°)	+2.0	23.6		
173				—		
177	18.1+1.5	(-5°)	+2.0	21.5		
178	20.5+1.5	(-5°)	+2.0	23.8		
187	18.0+3.5	(-10°)	+2.0	22.9		
190				—		
196	20.0+3.8	(-11°)	+2.0	24.8		
207	17.4+3.6	(-10°)	+2.0	22.4		
209	カレ			—		
213	20.0+5.0	(-14°)	+2.0	25.5		
243	15.0+6.0	(-17°)	+2.0	21.1		
253	17.5+5.0	(-14°)	+2.0	23.2		
258	カレ			—		
272	18.0+6.0	(-17°)	+2.0	23.8		

1976年測定記録 (南沢3号)

No.	直径	No.	直径	No.	直径	No.	樹高												
	cm		cm		cm		m												
1	* 46.75	127	* 55.70			1	27.2												
2	* 36.55	129	29.10			2	24.2												
5	* 45.70	135	* 27.85			5	24.8												
9	51.35	137	* 35.50			31	26.1												
12	29.95	140	* 28.60			45	30.2												
15	47.25	147	55.35			47	25.7												
26	43.20	151	31.25			54	25.5												
31	* 49.10	152	* 40.50			66	28.6												
33	32.30	154	* 43.90			83	23.0												
38	30.70	163	* 58.20			86	27.4												
40	41.30	167	* 41.60			87	24.1												
45	* 70.60	169	* 27.50			127	25.2												
47	* 41.75	177	33.60			135	21.3												
50	60.60	179	30.25			137	21.4												
54	* 41.25	181	* 38.20			140	21.8												
61	31.30	192	* 42.80			152	28.2												
66	* 62.40	193	* 37.30			154	25.3												
71	47.15	197	53.75			163	27.0												
79	44.35	198	35.60			167	24.3												
83	* 38.85	204	* 34.50			169	23.6												
86	* 46.05	213	46.25			181	24.3												
87	* 28.90	214	* 63.60			192	23.4												
88	40.80	221	35.35			193	25.6												
91	40.05	224	42.25			204	21.6												
94	51.00	226	37.15			214	28.7												
101	62.70	234	31.10																
109	54.75	238	枯死																
114	42.30	242	27.05																
122	35.30	244	44.15																
124	45.35	245	48.65																