

39-7/15 R 要会/11/4 下



1	87	258	252
2	90	286	285
3	108	345	333
4	97	245	2395
5	80	254	248
6	80	254	2525
7	108	344	339
8	129	411	407
9	109	347	348
10	102	325	3155
11	109	347	338
12	82	261	2525
13	89	283	2785
14	73	232	2295
15	91	290	2875
16	86	294	270
17	87	297	269
18	95	302	290
19	90	286	285
20	82	261	260
21	101.5	323	319
22	72	229	224
23	87	283	2765
24	87	258	263

39-7/15 R

25	130	414
26	112	356
27	94	299
28	135	430
29	94	299
30	84.5	269
31	89.5	285
32	98	312
33	100	318
34	113.5	361
35	26.5	295
36	95	302
37	89.5	284
38	69	220
39	104	331
40	112	356
41	107.5	342
42	88	280
43	97	309
44	83	264
45	101	322
46	123	392
47	97	309
48	95.5	304

41-1/24

399
351
2845
4215
297
258
2805
3065
309
357
2665
303
2835
216
324
348
334
294
300
2615
316
383
298
2925

39-7/15

49	89	283
50	112	357
51	84	267
52	121	385
53	82	261
54	79	315
55	113	360
56	114	363
57	86	274
58	107	341
59	93-	296
60	98	312
61	111	353
62	130	414
63	123	392
64	114	363
65	88	280
66	98	312
67	96.5	307
68	107	341
69	103	328
70	127	404
71	95	302
72	91	290

41-1/24

275
348
2615
376
2545
3045
357
3555
2625
3275
289
301
3425
405
4155
352
271
3035
2925
3285
3185
398
297
281

39-7/15
R/D

73	93.5	298
74	108	344
75	97	309
76	121	385
77	114	363
78	82	261
79	106	337
80	134	427
81	102	325
82	101	322
83	105	334
84	112	357
85	104	331
86	73	232
87	100	318
88	114	363
89	119	339
90	120	322
91	111	353
92	130	414
93	101.5	323
94	61	194
95	104	331
96	101	322

41-1/24

2895
335
3015
373
3595
2655
331
4135
316
3135
3305
3495
3225
227
3145
3595
3725
3765
3495
405
3145
186
327
3095

39-7/11

R D

97	69	220
98	73	232
99	78	312
100	96	306
101	87	277
102	126	395
103	103	328
106	102.5	326
105	129	411
106	136	427
107	71	226
108	86	274
109	78	248
110	75	312
111	90	286

41-1/24

2135
2335
306
228
272
3848
3155
3155
406
4185
2285
2685
2375
2985
250

測定法

疑肉

1984. 11.

H. YAMAMOTO

スギ生長測定試験

要倉沢 / 411内 (下部区)

昭和39年7月5日 測定

昭 39. 7. 15 和

D	N	G	H	V	T
17					
18					
19	1	0.0284		0.278	0.278
20					
21					
22	T	2	760	0.386	0.772
23	IF	5	2077	0.443	2.215
24				0.477	
25	IF	4	1963	0.542	2.168
26	IF	7	3717	0.579	4.053
27	IF	5	2863	0.619	3.075
28	IF	9	5542	0.694	6.246
29	IF	6	3963	0.738	4.428
30	IF	9	6362	0.783	7.047
31	IF	9	6793	0.861	7.749
32	IF	8	6434	0.898	7.184
33	IF	9	7698	0.949	8.541
34	IF	6	5448	1.043	6.258
35	IF	5	4811	1.099	5.495

D	N	G	H	V	T
36	IF	10	1.0179	1.154	11.540
37				1.212	
38	T	2	2268	1.323	2.646
39	IF	4	4778	1.387	5.524
40	T	2	2513	26.00	1.448
41	IF	5	6601	26.15	1.515
42				26.30	
43	F	3	4357	26.45	1.640
44					
45					
計	111	8.9411			100.630
mg		0.08055			
md		32.0	mk-24.10		
(1023-33-12-19)	A-	1427	x	7.0077	
46	N-	111		7.78	
7.2392-50.7301	G	8.9411		626.57	
28.8	md	32.0			
23.02	mk	24.10			
80.516	564.23	D		100.630	705.18

1023-39-7-15
 (51)(52)

12.29 ml

13.82