

至竹沃29u, 2年生爱珊瑚定试验地
平入保育区

032E

37-11

NO	BP	d ₁	d ₂	d _m	SK	
1	25.6	287	277	279	III	
2	—					
3	14.65	143	141	142	TF	
4	22.85	238	232	235	IIc	
5	25.85	283	256	269.5	IIc	
6	25.6	270	255	26.25	IIb	
7	21.45	217	223	22.0	IIb	
8	—					
9	22.25	225	220	22.25	IIb	
10	22.3	230	230	23.0	IIb	
71 11	—	260	266	26.3	IIb	} none
2	8.3	8.5	8.4	8.45	TV	
3	26.7	280	267	27.35	2	
4	—					
5	20.75	210	215	21.25	IIb	
6	—					
7	26.2	271	271	27.1	IIb	✓
8	—					
9	27.95	295	276	28.55	2	
20	—					✓
21	—					

37-11

22	34.2	353	340	34.65	2
3	32.85	341	334	33.75	2
4	13.75	146	140	14.3	IV
5	—				
6	18.7	187	195	19.1	IV
7	30.1	310	300	30.5	2
8	—				
9	22.45	220	227	22.85	IV ₆
30	14.4	148	146	14.7	IV
31	20.9	217	214	21.55	III
2	24.2	254	246	25.0	IV ₆
3	—				
4	27.7	298	282	29.0	2
5	26.15	292	285	26.85	IV ₆
6	25.95	292	286	26.4	IV ₆
7	31.6	318	318	31.8	2
8	—				
9	—				
40	26.9	271	269	27.0	IV ₆
41	27.55	285	280	28.25	2
2	23.6	280	274	23.7	IV
3	—				

37-11

44	25.2	265	265	26.5	IV ₆
5	40.15	422	411	41.65	2
6	29.65	310	296	30.3	IV ₆
7	—				
8	22.8	243	244	24.35	IV ₆
9	—				
50	—				
51	24.4	260	245	24.75	IV ₆
2	20.9	214	208	21.1	III
3	—				
4	29.65	298	310	30.4	IV ₆
5	—				
6	25.4	257	268	26.25	IV ₆
7	25.4	264	258	25.85	IV ₆
8	27.75	286	281	28.35	IV ₆
9	—				
60	23.1	235	243	23.9	IV ₆
61	—				
2	29.1	295	290	29.25	2
3	27.7	290	278	28.4	IV ₆
4	19.9	202	200	20.1	III
5	25.7	264	262	26.3	2

37-11

66	27.9	291	287	289	2
7	—				
8	19.2	190	202	19.6	III
9	—				
20	21.2	223	213	21.8	III
21	—				
2	16.0	164	163	16.35	IV
3	—				
4	31.1	320	320	32.5	2
5	23.0	240	230	23.5	IV ₆
6	—				
7	28.25	295	286	29.05	IV ₆
8	25.95	270	262	26.6	2
9	—				
80	28.35	286	280	28.3	IV ₆
81	16.5	170	163	16.65	IV
2	28.55	300	292	29.6	2
3	26.05	273	270	27.15	IV ₆
4	26.35	270	27.0	27.0	2
5	17.8	170	176	17.3	IV
6	20.8	213	209	21.1	III
7	10.85	113	110	11.15	IV

37-11

88	22.9	240	240	24.0	III
9	—				
20	—				
91	19.7	200	200	20.0	III
2	—				
3	23.8	248	233	24.05	IV
4	23.95	246	245	24.55	IV
5	21.4	219	218	21.85	IV
6	—				
7	22.05	221	232	22.65	III
8	16.2	164	169	16.65	IV
9	—				
100	20.6	210	214	21.2	III
101	25.65	270	265	26.75	IV _d 150
2	—				
3	—				
4	—				
5	24.0	259	245	25.2	IV
6	21.75	220	218	21.9	III
7	15.4	160	160	16.0	IV
8	13.95	142	142	14.2	IV
9	10.3	104	104	10.4	IV

37-11

110	17.5		186	18.7	18.65	TV
1	—					
2	21.7		226	220	22.0	TV
3	19.0		200	190	19.5	III
4	25.15		218	253	26.55	IIb
5	13.45		145	141	14.3	TV
6	—	HL	—	—	—	
7	—					
8	—					
9	32.95		346	328	33.7	I
120	20.1		209	203	20.6	III
121	10.35		167	167	10.7	TV
2	—	HL	—	—	—	
3	14.55		153	153	15.3	TV
4	—					
5	9.0		105	98	10.15	TV
6	19.7		215	198	20.65	III
7	31.0		331	324	32.75	I
8	—					
9	23.45		243	245	24.4	IIb
130	20.4		213	231	22.2	III
131	19.05		198	195	19.65	III

37-11

132	—	2				
3	23.3		250	250	25.0	IV
4	—					
5	—					
6	22.2		235	215	22.5	III
7	24.5		264	254	25.9	2
8	12.65		147	140	14.35	TV
9	—					
140	24.85		265	260	26.25	IIc
141	25.7		265	263	26.4	IIc
2	20.95		213	213	21.3	III
3	29.1	1584L	316	298	30.4	IIc
4	—					
5	23.2		250	232	24.1	IIc
6	—					HL
7	16.95		198	192	19.5	TV
8	—					
9	27.0		295	278	29.65	2
150	26.25		292	266	26.9	IIb
151	—					
2	21.3		220	218	21.9	III
elite 3	38.1		412	392	39.2	2

37-11

41-4/13

154	24.15
5	30.6
6	20.65
7	29.35

260	262	25.1	IIc
294	310	32.2	2
216	212	26.4	III
315	286	30.05	2

✓ 記錄

スギ生長測定試験

矢竹沢 29m / 内

結果 4/4 4/8 測定
5.25

無間伐比較区

間伐施行区

	D	N	G	H	V	T		D	N	G	H	V	T	
	8	1	00050	865	0.026	0.026								
T	10	2	157	1063	0.048	0.096		31	1	00765	2443	0.861	0.861	
T	1	2	190	1155	0.063	0.126		2	2	1608	2485	0.937	1.874	
	2							3	2	1711	2528	0.990	1.980	
	3							4	2	1816	2568	1.087	2.174	
正	4	正 5	770	1427	0.114	0.570		5	1	962	2608	1.145	1.145	
下	5	2	353	1517	0.141	0.282		6						
T	6	2	402	1613	0.168	0.336		7						
下	7	3	687	1682	0.201	0.603		8						
一	8	1	254	1765	0.237	0.237		9	1	1195	2752	1.500	1.500	
T	9	2	567	1810	0.262	0.524		42	1	1385	2860	1.773	1.773	
正	20	5	1571	1875	0.304	1.520		計	108	5.1429		56.189		
正	1	正 8	2771	1935	0.334	2.672		mg		0.04723				
正	2	正 9	3421	1995	0.386	3.474		md		24.6	21.30			
正	3	4	1662	2048	0.418	1.672								
正	4	正 9	4072	2104	0.477	4.293								
正	5	正 6	2945	2155	0.542	3.252								
正	6	正 9	4078	2205	0.579	5.211								
正	7	正 12	6871	2255	0.652	7.824								
正	8	正 6	7695	2308	0.694	4.164								
正	9	正 5	3703	2352	0.777	3.885								
正	30	正 5	3534	2398	0.823	4.115								

1927 5年柱表 (1930)

A 839^{m2} (11.918)

林令 (1962)

32年

(1966)

10244/4 35(36)

N 109 1299

108 1287

G 4.8338 57.6138^{m2}

5.1429 61.3527

V 51.694 616.09^{m3}

56.189 669.66

md 23.7

24.6^{cm}

mk 20.90

21.30^m平均生長量 1925^{m3}

1913