

支竹溪294, 肉 11 牛生香测定试验地

保育施案区

4-4/13

033 G

37-3

No	Bd		d ₁	d ₂	d _m	PK	
1	24.65		262	263	26.25	2	
2	—	4x					
3	20.15		208	218	21.3	IIa	=2
4	24.1		258	256	25.9	IIa	
5	21.65		215	242	22.85	IIc	
6	24.8		260	274	26.7	2	
7	25.15		270	278	27.4	I	
8	22.35		242	250	24.6	2	
9	—	x					
10	—	x					
11	25.6		264	272	26.8	2	
12	—	x					
13	27.45		285	290	28.95	2	
14	21.85		235	230	23.25	2	
15	—	x					
16	19.0		196	205	20.05	IIb	
17	—	x					
18	22.65		240	230	23.5	2	
19	34.9		382	367	37.45	IIa	
20	—	x					
21	24.65		268	284	26.1	2	

37-1

22	—	X					
3	19.4		210	208	20.9	IIb	
4	21.8		233	224	22.85	IIc	
5	23.1		237	255	23.1	IIc	
6	21.15		230	220	22.5	IIc	
7	26.95		216	236	23.8	I	
8	—	X					
9	22.15		236	238	23.4	IIc	71.25
30	18.4		184	172	17.8	III	
31	21.3		226	248	23.7	IIc	131
2	—	X					
3	22.95		246	245	24.55	I	
4	—	X					
5	20.25		266	216	21.1	IIc	145
6	—	X					
7	19.75		207	215	21.2	I	
8	22.5		236	243	23.95	I	
9	—	X					
40	—	X					
41	18.25		138	196	18.9	IV	
2	24.75		264	265	26.45	I	
3	29.1		290	326	30.8	I	

37-3

44	26.55		278	280	27.9	I	
5	—	X					
6	24.2		258	254	25.6	I	
7	18.55		196	196	19.6	IIb	
8	—	X					
9	21.1		215	225	22.0	IIb	
50	—	X					
51	—	X					
2	26.9		284	290	27.7	I	
3	18.05		192	198	19.5	IIb	
4	23.45		260	263	25.65	I	
5	19.5		210	202	20.6	IIb	
6	—	X					
7	17.7		188	182	18.1	III	
8	12.55		134	139	13.65	III	
9	—	X					
60	23.1		250	253	25.15	I	
61	20.85		224	212	21.8	III	
2	—	X					
3	19.05		200	193	19.65	II	
4	19.95		199	206	20.25	II	145
5	28.2		305	313	30.9	IIc	22

37-3						
66	—	X				
7	22.1		222	237	22.95	2
8	—	X				
9	20.05		210	208	20.9	IIb
90	20.35		212	203	20.95	IIb
91	17.75		190	184	18.7	IIb
2	—	X				
3	16.5		173	177	17.5	III
4	—	X				
5	—	X				
6	25.7		270	270	27.0	2
7	20.4		210	220	21.5	III
8	—	X				
9	23.8		260	235	24.95	2
80	—	X				
81	19.05		202	198	20.0	2
2	24.95		272	260	26.6	III (10)
3	16.7		160	176	16.8	III
4	21.35		222	218	22.0	2
5	—	X				
6	25.2		266	270	26.8	2
7	—	X				

37-3						
88	—	X				
9	17.35		191	180	18.55	IIb
90	—	X				
91	23.0		238	257	24.95	2
2	25.65		263	247	26.0	2
3	—	X				
4	20.65		220	209	21.45	IIb
5	20.8		215	220	21.95	III
6	20.95		224	213	21.85	2
7	12.6		124	129	12.65	III
8	20.85		213	220	21.65	III
9	22.05		220	239	23.35	III
100	20.2		217	210	21.35	III (10)
101	—	X				
2	20.9		223	228	22.55	IIb
3	21.9		221	232	22.65	2
4	19.8		204	194	19.9	III 22
5	—	X				
6	—	X				
7	12.05		200	190	19.5	2
8	—	X				
9	19.35		203	200	20.15	IIb

37-3

110	30.4		319	328	32.35	IIa
1	29.7		293	300	29.65	I
2	—	X				
3	13.2		138	131	13.45	II
4	14.7		160	148	15.4	III
5	13.45		176	136	13.6	III
6	—	X				
7	—	X				
8	26.3		240	284	29.7	IIa
9	—	X				
120	17.05		197	183	18.0	III
121	—	X				
2	14.5		158	152	15.5	III
3	—	X				
4	20.55		219	210	21.45	IIb
5	—	X				
6	22.6		224	216	22.0	V
7	12.1		132	130	13.1	II
8	—	X				
9	—	X				
130	19.35		205	206	20.55	IIb
131	—	X				

37-3

132	25.9		270	290	28.0	2
3	—	X				
4	—	X				
5	17.2		194	183	18.85	IIb
6	13.6		165	158	16.15	II
7	—	X				
8	20.35		219	203	21.1	2
9	—	X				
140	27.35		206	278	28.05	2
141	21.85		232	224	22.8	2
2	22.6		238	238	23.8	2
3	29.15		304	308	30.6	2
4	18.6		193	198	19.55	IIb
5	—	X				
6	—	X				
7	24.45		242	263	25.25	IIa
8	26.8		285	274	27.95	2
9	18.4		187	198	19.25	III
150	—	X				
151	—	X				
2	—	X				
3	23.65		260	252	25.6	2

37-3

154	19.65		219	200	20.95	I
5	—	X				
6	23.15		215	238	24.65	2
7	—	X				
8	15.6		150	172	17.6	III
9	—	X				—
160	21.35		237	215	22.6	III
161	16.05		165	169	16.7	III
2	—	X				
3	14.5		152	152	15.2	III
4	25.5		218	260	26.9	III
5	13.35		145	180	13.75	III
6	13.5		154	137	14.55	III

✓ 記錄

ニノキ生長測定試験

矢竹沢2/4, 内

昭和41年4月3日 測定

無間伐比較区

間伐施行区

矢野沢29u, 11年生長期測定 得育区

41-4/13

東京大学農学部附属演習林

D	N	G	H	V	T		D	N	G	H	V	T			
12							37-1	0.1075	1658	0.897	0.897				
3	F 3	00396	1158	0.083	0.249		新	106	43969			31.981			
4	F 3	462	1225	0.095	0.285			mq	004148						
5	F 3	530	1257	0.118	0.354			md	23.0 ^{ml}						
6	T 2	402	1290	0.132	0.264										
7	T 2	454	1320	0.149	0.298										
8	IF 5	1272	1350	0.178	0.890										
9	IF 5	1418	1376	0.193	0.965										
20	IF 10	3142	1405	0.217	2.170										
1	IF 13	4503	1430	0.238	3.084										
2	IF 8	3041	1455	0.279	2.232										
3	IF 12	4986	1480	0.309	3.708										
4	IF 4	1810	1500	0.328	1.312										
5	IF 7	3436	1520	0.354	2.478										
6	IF 8	4247	1540	0.381	3.048										
7	IF 7	4008	1560	0.439	3.073										
8	IF 6	3695	1576	0.470	2.820										
9	T 2	1321	1590	0.502	1.004										
30	- 1	703	1607	0.534	0.534										
1	F 3	2264	1618	0.568	1.704										
2	- 1	804	1637	0.602	0.602										

1927-5年生長期 (1930)

林舎

1927-35/8 (1960)

1927-37/3 (1962)

41-4/13

30年

31(32)

(1966)

35(36)

m² x 99800

m²

A 1.002

1.002

N

166 1657

106 1058

N 106

1058^{m²}

G

5.2312 52.2074

3.9000 38.9220

G 43969

438811^{m³}

T

36.949 36.895

27.998 27.942

T 31.981

319.17^{m³}

md

20.0

21.6

md 23.0

mk

15.50

14.85

mk 14.80

平均生長量

12.29

201

平均生長量

9.12^{m³}