

29a, 473 生長測定試驗地

無向成比較區

034H

41-4/13

37-3

NO	BD		d ₁	d ₂	d _m	PK	
1	20.75	e/f	230	214	22.2	2	
2	11.6		112	114	113	7	02
3	25.9		250	265	27.25	2	
4	20.05		215	205	21.0	16	
5	—	02	—	—	—	—	
6	14.5		152	170	16.1	16	
7	18.8		204	195	20.1	16	
8	14.9		150	142	14.6	7	02
9	23.8		245	250	24.75	2	
10	27.2		255	286	25.7	2	
11	14.5		145	152	14.85	16	
2	23.7		239	242	24.05	2	
3	16.75		180	180	18.0	16	
4	20.2		209	220	21.45	2	
5	23.35		264	239	24.15	2	
6	—	02	—	—	—	—	
7	20.4		230	222	22.6	2	
8	10.4	e/f	105	110	10.75	16	
9	34.1		348	320	33.4	2	
20	20.15		218	212	21.5	16	
21	22.65		234	225	22.95	2	

37-3

22	15.9		168	168	16.8	IV	
3	9.1	218				V	22
4	24.45		254	255	25.6	Z	
5	21.2		230	218	22.4	IV	
6	28.8		318	289	30.35	Z	
7	12.9		133	124	12.85	IV	
8	22.6		239	230	23.45	IV	
9							
30	21.6		230	230	23.0	Z	
31	27.95		290	288	28.9	Z	
2	16.4		182	170	17.6	IV	
3	7.0					V	
4	13.0		144	144	14.4	IV	
5	16.6		171	174	17.25	IV	
6	27.5		250	276	27.8	Z	
7	21.5		230	219	22.45	IV	
8	28.9		290	316	30.3	Z	
9	11.7		415	109	11.2	V	22
40	30.85		328	321	32.45	IV	
41	30.5		319	325	32.2	IV	
2	23.6		240	258	24.9	IV	
3	25.5		260	264	26.2	Z	

37-3

44	27.55		284	293	28.85	Z	
5	18.6		199	195	19.7	IV	
6	13.2		186	135	13.55	IV	
7	23.1		248	240	24.4	Z	
8	21.1		216	224	22.6	IV	
9	21.15		218	216	21.7	IV	
50	20.25		204	204	20.4	IV	
51							
2	27.4		291	292	29.15	Z	
3	9.9		100	98	9.9	IV	
4	11.4		110	114	11.6	IV	
5	16.05		160	158	15.9	V	22
6	24.45		268	252	26.0	IV	
7	19.45		198	194	19.6	IV	2
8	18.0		184	157	15.55	IV	
9	27.35		314	282	29.8	Z	
60	28.55		276	311	29.35	Z	
61	22.0		223	241	23.2	IV	
2	20.65		211	218	21.45	Z	
3	10.4						22
4	22.3		230	238	23.4	IV	
5	30.05		325	316	32.05	Z	

37-3

66	122	123	130	1265	TV
7	26.8	253	295	259	2
8	16.35	189	160	16.45	III
9	17.05	150	169	17.45	III
70	20.05	219	208	21.25	IV
1	20.8	213	224	21.85	III
2	26.0	250	268	27.5	2
3					
4	25.6	280	257	26.55	2
5	25.45	267	269	26.8	2
6	18.15	193	192	19.3	IV
7	23.05	240	234	23.7	IV
8	30.15	328	320	32.4	2
9	21.45	230	218	22.4	2
80	21.65	246	230	23.8	2
81	15.55	164	170	16.7	III
2	10.95	100	113	11.05	IV
3	20.7	219	210	21.45	IV
4	23.8	254	240	24.7	2
5	20.1	213	215	21.4	IV
6	13.25	130	131	13.05	IV
7	31.9	347	336	34.15	2
8	17.3	176	180	17.8	IV

37-3

89	15.55	188	144	17.15	IV	2
90	18.45	210	198	20.4	IV	
91	28.7	30	296	29.8	2	
2	8.55	86	88	8.7	IV	
3	22.7	241	244	24.25	2	
4	30.45	316	330	32.3	2	
5	27.0	296	291	28.35	2	
6	23.9	261	250	25.55	2	
7	23.0	250	245	24.75	2	
8	23.95	258	253	25.55	2	
9						
100	18.95	205	200	20.25	III	
101	26.75	282	283	28.25	IV	2
2	25.2	280	271	27.55	2	
3	18.1	189	200	19.45	IV	
4	27.4	285	296	29.05	2	
5						
6	27.6	301	285	29.3	2	
7	19.85	138	142	14.0	III	
8	28.5	309	300	30.45	2	
9	11.45	110	118	11.4	IV	2
110	25.1	268	264	26.6	2	

37-3

111

14.6

161

149

155

III

2

25.7

280

280

28.0

2

記錄簿

サワラ生長測定試験

矢竹沢 29m 内

昭和三十八年四月 測定

無間伐比較区

間伐施行区

無間线比较区

~~41-44/3~~

東京大学農学部附属演習林

D	N	G	H	V	V	D	N	G	H	V	V
9	1	0.0064	968	0.034	0.034	30	正 5	0.3534	17.56	0.606	3.030
10	1	79	1030	0.041	0.041	1					
1	2	190	1092	0.055	0.110	2	正 5	4021	17.84	0.683	3.415
2	1	113	1150	0.071	0.071	3	1	855	17.96	0.724	0.724
3	3	396	1207	0.083	0.249	4	1	908	18.08	0.765	0.765
4	3	462	1257	0.103	0.309	5					
5	1	177	1307	0.118	0.118	計	98	4.2324			33.777
6	正 5	1005	1352	0.132	0.660		mg	0.04318			
7	正 5	1135	1397	0.161	0.805		md	23.4	16.25		
8	3	763	1437	0.178	0.534						
9	2	567	1478	0.213	0.426						
20	正 6	1885	1515	0.234	1.404						
1	正 6	2078	1550	0.280	1.680						
2	正 8	3041	1582	0.299	2.392						
3	正 6	2493	1610	0.326	1.956						
4	正 6	2714	1638	0.352	2.112						
5	正 4	1963	1662	0.406	1.624						
6	正 5	2655	1685	0.436	2.180						
7	正 5	2863	1708	0.469	2.345						
8	正 5	3079	1727	0.501	2.505						
9	正 8	5284	1745	0.536	4.288						