

王竹溪 29, 1973 生长激素实验组

保育施掌区

034 I

39-3

41-4/13

No	BD		d <sub>1</sub>	d <sub>2</sub>	d <sub>m</sub>	SK
1	18.5		20.2	20.1	20.15	IV
2	30.15		32.5	33.0	32.75	IV
3	26.35		29.2	26.6	27.8	IV
4	<del>    </del>	X				
5	17.4		19.2	18.2	18.7	III
6	25.5		28.2	28.2	28.2	Z
7	15.35		16.0	12.5	16.75	IV
8	12.05		13.1	13.1	13.1	III
9	21.35		25.0	24.2	24.6	IV
10	21.4		23.0	22.2	22.6	Z
11	14.4		14.3	14.3	14.3	IV
2	20.75		21.4	21.4	21.4	IV <sub>6</sub>
3	27.25		28.2	27.4	27.8	Z
4	23.6		25.0	24.3	24.65	Z
5	14.6		16.2	17.1	16.65	IV
6	13.5	✓	15.4	14.4	14.9	IV
9	29.35		33.2	29.4	31.3	Z
8	<del>    </del>	X				
9	<del>    </del>	X				
-20	34.95		36.2	38.0	37.1	Z
-21	29.0		32.1	36.0	34.05	IV <sub>a</sub>

37-3

22		x				
✓3	36.75		400	404	402	IIa
✓4	20.25		21.3	22.2	21.95	IIIb
✓5	26.1	EIF	280	290	28.5	I
6		x				
7		x				
✓8	21.2		23.2	22.2	22.9	I
9	26.65		29.3	28.2	28.75	I
30	17.65		20.2	<del>19.2</del> 19.7	19.9	II
✓31	28.4		35.0	34.5	34.95	IIa
(2)		(x)	20.6	16.1	18.05	III
✓3	7.95	EIF	10.1	9.3	9.9	III
✓4	28.8		33.2	32.3	32.4	IIa
✓5	19.8		23.2	23.0	23.1	I
✓6	18.8		20.2	21.2	20.6	III
7	30.45		34.2	32.0	33.1	I
8	17.0		20.3	18.2	19.25	III
9	30.5		35.1	33.4	34.25	I
40	26.05		28.6	28.6	28.6	I
41	29.75		34.0	31.4	32.7	I
2		x				
3	31.15		34.0	31.8	32.9	IIa

37-3

✓44	35.8	EIF	37.6	38.1	38.85	IIa
✓5	9.8	EIF	9.1	10.2	9.65	IV
6	18.0		20.4	19.0	18.7	III
✓7	26.1		29.0	27.1	28.05	I
✓8	38.05		40.4	38.1	39.25	IIa
✓9	26.45		30.0	28.3	29.15	IIc
✓50	27.6		34.0	29.1	31.55	I
✓51	32.3		36.1	34.1	35.1	I
✓2	36.1		39.0	38.0	38.5	IIa
✓3	26.75		27.3	28.0	27.65	I
✓4	21.55		24.2	23.0	23.6	III
✓5	22.6		25.1	25.2	25.15	III
✓6	27.9		34.1	30.3	32.2	I
(7)		(x)	20.3	26.0	29.15	IV
✓8	36.4		40.1	37.4	38.75	IIa
✓9	33.1		37.0	34.8	35.9	III
x 60	29.8		34.4	34.2	34.3	IIa
61	22.8		26.0	26.0	26.0	III
x 2	34.7		38.2	37.0	37.6	IIa
3	20.5		24.2	27.0	25.6	III
✓4	30.8		35.0	34.8	34.9	IIa
✓5	32.05		36.4	33.0	34.7	IIa

37-3

66	19.0		19.6	20.1	19.85	III	
7		X	<del>20.0</del>	<del>21.2</del>	<del>19.85</del>	TV	2
10	22.15		13.0	12.2	12.6	TV	
9		(X)	<del>20.0</del>	<del>21.2</del>	<del>19.85</del>		
20	27.3		25.6	24.0	24.8	2	
21		(X)	19.0	23.4	21.2	IV	2.2.2.4
2	23.2		29.0	31.0	29.5	2	
3	24.65		10.8	10.8	10.8	IV	
4	29.6		20.0	25.0	26.5	I	
5	19.2		20.4	27.0	29.7	IIA	2
6		(X)	30.8	29.6	30.2	2	
7	17.95		21.0	21.0	21.0	III	
8	33.65		13.4	15.1	14.25	TV	
9	12.95		17.5	18.8	19.65	III	
80	36.0		36.7	35.1	35.55	2	
81	28.95		12.8	13.3	13.05	TV	
2	23.7		38.8	39.8	39.3	IIA	
3	36.0		30.3	32.5	31.4	IIA	
4	25.25		26.2	27.0	26.6	IIA	
5	10.9		37.4	36.0	37.7	2	
6		X	30.1	28.2	29.15	2	
7	18.65		11.8	11.0	10.9	IV	

37-3

210-214 ~~IV~~  
TV

80		(X)	11.8	11.8	11.8	TV	
9		(X)	10.9	10.5	10.85	TV	
90	15.3		21.0	21.4	21.2	III	
91	12.15		14.1	14.2	14.15	IV	
2	27.2		28.0	28.4	28.2	2	
3		(X)	24.6	23.6	24.1	IIA	
4	25.9		29.2	29.8	28.5	2	
5	29.0		30.2	29.4	29.8	IIc	
6	32.55		34.3	37.5	35.9	2	
7		(X)	14.0	13.4	13.7	TV	
8	30.35		33.4	32.2	32.8	IIA	
9	27.55		31.0	28.0	29.5	2	
100	29.0		31.3	30.0	30.65	2	
101	15.2		16.6	16.6	16.6	III	
2	29.4		33.4	30.0	31.7	2	
3		(X)	19.0	19.0	19.0	IIA	
4	23.9		25.0	25.6	25.3	IIA	2
5	36.35		38.3	39.0	38.65	IIA	
6	25.65		29.3	30.5	29.9	2	
7	20.55		22.9	22.8	22.85	IIc	
8		(X)	27.1	26.8	26.95	IIA	2
9	25.7		26.9	26.8	26.85	2	

37-3

110	31.1		330	344	33.7	2
✓ 1	29.0		29.5	29.0	29.25	2
2	24.4		23.4	23.4	23.4	$\frac{24}{6}$
3		x				
4	23.05		24.7	24.4	24.55	$\frac{24}{6}$

✓  
記 錄 簿

No

<del>109</del>	<del>26.9</del>	<del>26.5</del>	2
<del>112</del>	<del>23.4</del>	<del>23.4</del>	$\frac{24}{6}$
<del>110</del>	<del>330</del>	<del>344</del>	2
<del>114</del>	<del>24.7</del>	<del>24.6</del>	$\frac{24}{6}$

サワラ生長測定試験

矢竹沢 29m 内

昭和44年4月13日 測定

無間伐比較区

間伐施行区

矢竹沢 29u, 内 473 生長測定試驗 保育区

41-4/13

東京大学農学部附属演習林

D	N	G	H	V	V	D	N	G	H	V	V			
10	T	2	0.0157	10.30	0.041	0.082	31	F	3	0.2264	1770	0.645	1.935	
1	F	3	285	1092	0.055	0.165	2	F	3	2413	1784	0.683	2.049	
2	-	1	113	1150	0.071	0.071	3	正	6	5132	1796	0.724	4.344	
3	F	3	396	1207	0.083	0.249	4	正	4	3632	1808	0.765	3.040	
4	F	4	616	1257	0.103	0.412	5	正	4	3848	1820	0.808	3.232	
5	-	1	177	1307	0.118	0.118	6	F	3	3054	1830	0.850	2.550	
6	-	-	-	1352	0.132	-	7	-	1	1075	1840	0.897	0.897	
7	F	3	681	1397	0.161	0.483	8	T	2	2268	1850	1.000	2.000	
8	-	1	254	1437	0.178	0.178	9	正	6	7168	1860	1.049	6.294	
9	F	3	851	1478	0.213	0.639	40	-	1	1257	1870	1.098	1.098	
20	正	5	1571	1515	0.234	1.170	部	104	6.1643	-	-	50.981		
1	正	5	1731	1550	0.280	1.400	mg	0.05927	-	-	-	-		
2	-	1	380	1582	0.299	0.299	md	27.5 <sup>cm</sup>	17.20 <sup>ml</sup>	-	-	-		
3	正	5	2077	1610	0.326	1.630	林舎	1327+37/2	-	-	-	1027+41/4		
4	T	2	905	1638	0.352	0.704	(1962)	-	-	-	-	(1966)		
5	正	6	2945	1662	0.406	2.436	31(32)	-	-	-	-	35(36)		
6	T	2	1062	1685	0.436	0.872	N	118	779	-	-	104	687	
7	正	5	2863	1708	0.469	2.345	G	5.3660	75.4426 <sup>ml</sup>	-	-	6.1643	40.7153	
8	正	7	4310	1727	0.501	3.507	V	43.207	285.38 <sup>ml</sup>	-	-	50.981	336.73	
9	正	7	4624	1745	0.536	3.752	md	-	24.1	-	-	27.5 <sup>cm</sup>	-	
30	正	5	3534	1766	0.606	3.030	mk	-	1640	-	-	17.20 <sup>ml</sup>	-	
							平均生長量	9.21 <sup>ml</sup>	-	-	-	-	9.62 <sup>ml</sup>	-

昭和5年植栽(1930)  
A-1514<sup>m<sup>2</sup></sup>  
(6.60502)