

5428 親木 1994 1999 欠点 欠点 品等					測定年月日	
1 ヤナギsp	NE	160	166		1 ヤナギsp (17.4)	ナメ 枯
2 ケヤマハンノキ		108	0 枯損		2 ケヤマハンノキ	
3 オオモジ	NE	301	308		3 オオモジ 32.2	
4 ヤチダモ		377	242 ハン		4 ヤチダモ 43.2	元折 元折
5 エゾマツ		225	241		5 エゾマツ 26.4	
6 トマツ		581	593 元D 枝 (3)		6 トマツ 60.6	元折 折
7 ハルニレ		99	0 枯損		7 ハルニレ	
8 トマツ		111	122		8 トマツ 13.7	シカツ
9 トマツ		73	75		9 トマツ 8.5	シ
10 エゾイタヤ		60	65		10 エゾイタヤ 7.3	
11 ヤチダモ		286	296		11 ヤチダモ 32.3	
12 ヤチダモ		498	519 曲り (3)		12 ヤチダモ 55.8	コケ
13 バッコヤナギ		83	83		13 バッコヤナギ (8.0)	立枯
14 バッコヤナギ		87	89		14 バッコヤナギ (9.2)	枯 倒
15 エゾマツ		91	101		15 エゾマツ 12.0	
16 エゾマツ		346	365 枝 (2)		16 エゾマツ 39.6	
17 ケヤマハンノキ		315	321		17 ケヤマハンノキ (—)	枯 元折
18 ケヤマハンノキ		97	89		18 ケヤマハンノキ (—)	" "
19 ハルニレ		110	135		19 ハルニレ (16.4)	立枯 シカ 皮剥 14不明
20 ヤナギsp		90	100 倒れ		20 ヤナギsp (—)	不明 部分 枯
21 ケヤマハンノキ		176	193		21 ケヤマハンノキ 23.6	
22 ハルニレ		247	0 枯損		22 ハルニレ	
23 バッコヤナギ		127	0 枯損		23 バッコヤナギ	
24 シナノキ		103	108		24 シナノキ 12.8	
25 シナノキ	24	111	115		25 シナノキ 12.9	
26 トマツ		200	217		26 トマツ 24.8	元折
27 ハルニレ		387	407 ヤニ 中曲 2		27 ハルニレ 43.6	
28 ケヤマハンノキ	E	206	0 元折 枯損		28 ケヤマハンノキ	
29 ヒロハノキハダ		181	204		29 ヒロハノキハダ 24.4	
30 ヒロハノキハダ		90	93		30 ヒロハノキハダ (8.8)	ナメ 中折 14不明
31 ケヤマハンノキ		127	132		31 ケヤマハンノキ (—)	立枯れた、ハンノキ、枯倒
32 ハルニレ		94	0 鹿食 枯損		32 ハルニレ	
33 トマツ		140	156		33 トマツ 19.7	互平
34 トマツ		60	0 枯損		34 トマツ	
35 ハルニレ		84	0 鹿食 枯損		35 ハルニレ	
36 バッコヤナギ		182	199		36 バッコヤナギ 25.9	ナメ 元D
37 ケヤマハンノキ		215	225		37 ケヤマハンノキ 23.2	元折 元折
38 ヤナギsp		172	0 枯損		38 ヤナギsp	
39 ハルニレ		266	289		39 ハルニレ 23.1	
40 ケヤマハンノキ		237	238		40 ケヤマハンノキ (—)	枯 元折 折 (24.9)
41 ミズキ		379	479 ヨブ ハン -3		41 ミズキ (34.8)	枯 倒 輪R 互平 皮剥
42 トマツ		244	261		42 トマツ 30.0	
43 アスキナシ		181	0 枯損		43 アスキナシ	
44 ハリギリ		402	416 ①		44 ハリギリ 44.6	
45 オオモジ		209	210		45 オオモジ 21.2	
46 ケヤマハンノキ		336	338 又 (2)		46 ケヤマハンノキ 34.5	
47 イヌエンジュ		183	197		47 イヌエンジュ 23.2	ナメ
48 アスキナシ		201	201		48 アスキナシ (—)	ナメ 枯 元折 折
49 エゾイタヤ		365	370 元D 枝 (3)		49 エゾイタヤ 37.6	
50 エゾマツ	SE	385	398 枝 (2)		50 エゾマツ 42.3	

5428 親木 1994 1999 欠点 欠点 品等					測定年月日	
51	オオモシ	172	174		51	オオモシ 18.3 ナ、X
52	ハルニレ	459	479	ガマ ②	52	ハルニレ 52.0 シカ 少 元D
53	ハリギリ	400	412	①	53	ハリギリ 44.0
54	オオモシ	171	172		54	オオモシ 17.6 ネシレ
55	オオモシ	82	82		55	オオモシ (8.2) 立木 コケ
56	オヒョウ	110	111		56	オヒョウ (10.3) 〃 シカ 皮タシ 19不明
57	エゾマツ	171	172		57	エゾマツ 18.7
58	エゾマツ	70	71		58	エゾマツ 7.5
59	サワシバ	99	100		59	サワシバ 11.5 ニ又
60	サワシバ	71	76		60	サワシバ 8.8
61	エゾイタヤ	487	483	元D 4	61	エゾイタヤ (一) 枯 元折
62	トマツ	498	517	枝 ナマ ③	62	トマツ 55.1 7不明
63	シナノキ	54	54		63	シナノキ (不明) 多分 枯
64	ケヤマハンノキ	212	215		64	ケヤマハンノキ 22.5
65	シナノキ	352	378	①	65	シナノキ 40.8
66	サビタ (72 不明)	79	0	枯損	66	サビタ 不明、多分 枯
67	サビタ 66	86	85		67	サビタ
68	サビタ 66	72	73		68	サビタ
69	サビタ	87	0	枯損	69	サビタ
70	サビタ	53	0	欠測	70	サビタ
71	サビタ	55	0	元折 枯損	71	サビタ
72	ケヤマハンノキ	184	188		72	ケヤマハンノキ 19.9
73	ハッコヤナギ	111	0	倒れ 枯損	73	ハッコヤナギ
74	トマツ	450	482	中D 枝 ③	74	トマツ 53.9
75	ハルニレ	246	261		75	ハルニレ (25.1) 立木 シカ 皮タシ 19不明
76	サビタ	65	0	欠測	76	サビタ (不明) 多分 枯
77	ハルニレ	425	444	元D 枝 ③	77	ハルニレ 48.0 ナマ
78	ヤチダモ	399	413	枝 ②	78	ヤチダモ 45.3
79	トマツ	402	423	枝 元D ③	79	トマツ 47.0
80	ケヤマハンノキ	215	217		80	ケヤマハンノキ 22.3 中D
81	ケヤマハンノキ	152	153		81	ケヤマハンノキ 16.0
82	ケヤマハンノキ	173	184		82	ケヤマハンノキ 20.9 ナ、X
83	ヤチダモ	289	317		83	ヤチダモ 36.6 7、2
84	サビタ	74	0	枯損	84	サビタ
85	ハルニレ	217	227		85	ハルニレ 24.7
86	エゾマツ	353	382	枝 (ヤ) ③	86	エゾマツ 43.6 元D
87	ハルニレ	285	311		87	ハルニレ 34.6 曲 2
88	ヒロハノキハダ	130	135		88	ヒロハノキハダ 〇 立木 枯 倒 系ノ/40m以上
89	ヒロハノキハダ	126	0	枯損	89	ヒロハノキハダ
90	ヤチダモ	263	280		90	ヤチダモ 31.8
91	ケヤマハンノキ	326	337		91	ケヤマハンノキ 35.4 ガマ ニ又 2
92	ヤチダモ	124	142		92	ヤチダモ 18.0
93	ヤナギ sp	185	0	枯損	93	ヤナギ sp ✓
94	ケヤマハンノキ	298	317		94	ケヤマハンノキ 34.4
95	ケヤマハンノキ	169	184		95	ケヤマハンノキ 21.6
96	サビタ	59	0	枯損	96	サビタ
97	エゾマツ	521	543	元D ④	97	エゾマツ 58.1
98	ハッコヤナギ	207	219		98	ハッコヤナギ 23.0 元D
99	エゾマツ	214	240		99	エゾマツ 29.1 ナ、X
100	サビタ	56	56		100	サビタ (5.6) 立木 シカ

5428 親木		1994	1999	欠点	欠点	品等	測定年月日
101	エゾマツ	SW	54	54			101 エゾマツ 5.8 ナメ
102	サビタ		64	65			102 サビタ (6.2) 木倒シカ
103	エゾマツ		172	186			103 エゾマツ 21.8 ナメ
104	ハシドイ		85	87			104 ハシドイ 8.9 ウラナ
105	ハシドイ	104	64	62			105 ハシドイ 6.5 ウラナ
106	ハシドイ	104	72	73			106 ハシドイ (7.3) 木倒シイナ
107	ハシドイ		85	85			107 ハシドイ 8.7
108	ハシドイ	107	80	80			108 ハシドイ (8.1) 木倒シ
109	ハシドイ	107	95	99			109 ハシドイ 10.4
110	シウリサクラ		121	121			110 シウリサクラ 12.5
111	シウリサクラ		109	104			111 シウリサクラ 11.3
112	オヒョウ		145	0	枯損	シカ	112 オヒョウ
113	ハシドイ		80	85			113 ハシドイ 9.2
114	ハシドイ		137	144			114 ハシドイ 15.7
115	ハシドイ	114	145	149			115 ハシドイ 16.3
116	ハルニレ		357	384	元D	2	116 ハルニレ 45.0
117	オヒョウ		413	0	枯損		117 オヒョウ
118	オオハコダイジュ		315	0	輪尺	欠測	118 オオハコダイジュ 3/10x35.6 互平
119	オオハコダイジュ		294	0	輪尺	欠測	119 オオハコダイジュ 34.2
120	オオハコダイジュ		182	181			120 オオハコダイジュ (不明) うしろをえがくのと
121	シウリサクラ		66	0	枯損		121 シウリサクラ
122	ウダイカンバ		93	93			122 ウダイカンバ (9.4) 木倒シ
123	ウダイカンバ		59	64			123 ウダイカンバ (6.6) 木倒シ
124	ヤチタモ		171	188			124 ヤチタモ 23.5
125	シウリサクラ		56	61			125 シウリサクラ 7.7
126	エゾマツ	124	339	359	(枝)	(2)	126 エゾマツ 40.8
127	トマツ		139	149			127 トマツ 17.5
128	シウリサクラ		54	56			128 シウリサクラ 6.7
129	ハルニレ		368	387	元D	-2	129 ハルニレ (37.9) 木倒シカ倒シイナ
130	シウリサクラ		93	96			130 シウリサクラ 10.9
131	トマツ		166	186			131 トマツ 22.6 シカツ
132	トマツ		83	95			132 トマツ 11.5
133	シウリサクラ		136	137			133 シウリサクラ 14.1 元D
134	シウリサクラ		63	65			134 シウリサクラ 5.6
135	エゾイタヤ		283	284			135 エゾイタヤ 29.6
136	トマツ		56	66			136 トマツ 9.3 ナメ シカツ
137	ヒロハノキハタ		353	371	(二又) 片枝木	(4)	137 ヒロハノキハタ 40.7 木倒シ
138	ヤマグワ		162	166			138 ヤマグワ 17.5 枝木
139	ヤマグワ	138	111	117			139 ヤマグワ 13.3
140	エゾイタヤ		581	587	元D 曲り	(4)	140 エゾイタヤ 60.4 穴 7/10
141	トマツ		76	82			141 トマツ 10.7
142	サビタ		60	60			142 サビタ (5.1) うしろをえがくのと 木倒シカ倒シ
143	トマツ		65	67			143 トマツ 7.3 シカツ
144	トマツ		164	169			144 トマツ 19.5
145	トマツ		387	392	枝	2	145 トマツ () 木倒シ
146	トマツ		388	392	枝	2	146 トマツ (39.2) 木倒シ一部ナ
147	ヤチタモ		138	150			147 ヤチタモ 18.7
148	トマツ		140	165			148 トマツ 21.5
149	トマツ	138	65	71			149 トマツ 9.2 シカツ
150	オオモジ		264	279			150 オオモジ 31.0 木倒シ

5428	親木	1994	1999	欠点	欠点	品等	測定年月日		
151	トマツ	99	108				151	トマツ 14.4	トマツ/カ
152	エゾマツ 176	558	580	枝		(2)	152	エゾマツ 61.8	
153	トマツ	329	350	腐れ	割れ	(3)	153	トマツ 37.8	カマ 枝
154	サビタ NW	50	65				154	サビタ (5.4)	枯 シカ 皮シ/イサ不明
155	トマツ	51	54				155	トマツ 5.1	シカツ/
156	エゾマツ	368	375	枝		(2)	156	エゾマツ 39.1	
157	トマツ	55	58				157	トマツ 6.7	シカツ/
158	トマツ	50	58				158	トマツ (6.2)	枯 ナメ
159	トマツ	55	69				159	トマツ 11.1	
160	トマツ	52	58				160	トマツ 7.5	シカツ/
161	エゾマツ	220	223				161	エゾマツ 24.9	
162	サビタ	57	60				162	サビタ (4.5)	枯 シカ イサ不明
163	トマツ	464	492	元D	キノ	3	163	トマツ (52.8)	枯 元D 皮シ
164	トマツ	89	91				164	トマツ 10.6	シカツ/
165	トマツ	454	468	枝		(2)	165	トマツ 49.7	
166	カツラ	790	804	中D		(3)	166	カツラ 81.5	斜面
167	カツラ 166	558	565	曲リ		(2)	167	カツラ 57.0	
168	カツラ 166	201	194				168	カツラ 21.9	次回 輪尺
169	カツラ 166	288	293				169	カツラ 29.6	
170	カツラ 166	326	333	曲リ		(3)	170	カツラ 35.0	
171	オヒョウ	126	128				171	オヒョウ (11.7)	主枯 シカ 皮シ イサ不明
172	サビタ +66	0	54	進界			172	サビタ 不明	
173	ハシトイ 109	0	55	進界			173	ハシトイ 5.9	ナメ
174	トマツ 126	0	51	進界			174	トマツ 5.8	シカツ/
175	トマツ 149	0	62	進界			175	トマツ 9.8	イサ不明 シカツ/
176	トマツ 152	0	59	進界			176	トマツ 7.2	
177	0	0	0				177	ト 6.1	3 6.1 割れ 皮シ
178	0	0	0				178	ト 5.1	64
179	0	0	0				179	ト 6.1	91
180	0	0	0				180	ト 6.3	124
181	0	0	0				181	ト 6.1	132
182	0	0	0				182	シカツ 6.2	136 7入
183	0	0	0				183	ト 5.5	140
184	0	0	0				184	ト 5.8	143
185	0	0	0				185	ト 5.4	161
186	0	0	0				186	ト 6.8	
187	0	0	0				187	ト 9.4	147
188	0	0	0				188	ト 6.1	148 6.1 シカツ/
189	0	0	0				189	ト 6.9	
190	0	0	0				190	ト 5.4	151 15.4 NW 15.4
191	0	0	0				191	ト 6.0	151
192	0	0	0				192	ト 6.2	
193	0	0	0				193	ト 5.5	152 シカツ/
194	0	0	0				194	ト 6.6	153 シカツ/
195	0	0	0				195	ト 5.1	
196	0	0	0				196	オオモジ 6.5	159 7入
197	0	0	0				197	ト 6.0	シカツ/
198	0	0	0				198	ト 6.8	164
199	0	0	0				199	ト 6.0	159
200	0	0	0				200		

930-1210

終了	野帳入力		
✓			

18 矣

A hand-drawn diagram of a rectangular plot. The left vertical side is labeled '101' at the top and '50' at the bottom. The right vertical side is labeled '166' and '3'. The bottom horizontal side is labeled '1'. The top horizontal side is labeled '154'. A dashed horizontal line runs across the middle of the rectangle. To the left of the rectangle, there is a small rectangle labeled '101' with an arrow pointing up. To the right of the rectangle, there is a label '斜面' (slope) and 'の上に木多' (many trees on top). At the bottom right, there is a label '成長更新' (growth and regeneration) and 'ササ少' (few bamboo).

斜面の上に木多

成長更新
ササ少