

5540 B 親木 1994 1999 欠点 欠点 品等					測定年月日		
1	エゾマツ	NE	56	62	1	エゾマツ 6.4	元折 根上
2	トマツ		56	72	2	トマツ 7.9	シカツ/
3	トマツ		466	475 節	3	トマツ 50.1	
4	アズキナシ		95	97	4	アズキナシ (—)	根 倒
5	エゾイタヤ		342	345 元D 曲り	5	エゾイタヤ 38.5	
6	シナノキ		79	0 枯損	6	シナノキ	
7	ホオノキ		270	270 元D 斜	7	ホオノキ 27.5	
8	ヤチダモ		88	0 枯損	8	ヤチダモ	根 枯
9	ヤチダモ		259	292	9	ヤチダモ 34.5	(2)
10	ヤチダモ		118	136	10	ヤチダモ 18.0	
11	コシアブラ		66	68	11	コシアブラ (5.8)	根 倒 皮剥
12	エゾマツ		267	295	12	エゾマツ 33.8	
13	エゾマツ		245	267	13	エゾマツ 29.8	
14	トマツ		85	87	14	トマツ 9.6	シカツ/
15	トマツ		82	86	15	トマツ (8.2)	立木 シカツ/ 中折
16	シナノキ		81	0 倒れ 枯損	16	シナノキ	
17	ミヤマザクラ		262	265 三又 生枝に1枝	17	ミヤマザクラ 23.0	半枯 3本のうち1本のみに生
18	エゾマツ		159	162	18	エゾマツ 16.9	
19	トマツ 150+		515	538 節	19	トマツ 56.0	
20	エゾイタヤ		144	148	20	エゾイタヤ 14.7	
21	サビタ		57	57 斜	21	サビタ (—)	根 枯 倒 シカ
22	サビタ		70	70	22	サビタ (—)	不明 多量 根 シカ
23	エゾマツ		283	291	23	エゾマツ 29.7	
24	トマツ		73	77	24	トマツ 8.5	シカツ/
25	トマツ		419	435 元D ガマ	25	トマツ 45.5	
26	ヤチダモ		325	350 ガマ	26	ヤチダモ 40.3	
27	トマツ		65	69	27	トマツ 7.3	シカツ/
28	トマツ		163	167 鹿角	28	トマツ 17.2	
29	トマツ		344	362 節	29	トマツ 39.7	
30	ヤチダモ		199	225	30	ヤチダモ 27.3	
31	シナノキ		95	99	31	シナノキ 9.6	
32	サビタ		75	76	32	サビタ (—)	5に根ナシ 根 シカ 倒
33	シナノキ		71	73	33	シナノキ (—)	根 倒 元折
34	シナノキ		95	97	34	シナノキ 9.5	
35	シナノキ		60	62	35	シナノキ (—)	5に根ナシ 根 倒
36	ケヤマハンノキ		464	475 節	36	ケヤマハンノキ 48.2	
37	トマツ		83	95	37	トマツ 11.5	シカツ/
38	トマツ		91	96	38	トマツ 10.1	〃
39	トマツ		165	183	39	トマツ 21.3	〃
40	トマツ		168	189	40	トマツ 23.7	〃 (少)
41	ヤナギ sp		211	223	41	ヤナギ sp (—)	根 倒
42	ヤナギ sp		142	143	42	ヤナギ sp (—)	〃 〃
43	キタコブシ		144	149	43	キタコブシ 16.6	
44	トマツ		394	416 元D ガマ	44	トマツ 44.9	中折
45	トマツ		490	513 節 ガマ	45	トマツ 55.0	
46	エゾマツ		88	95	46	エゾマツ 10.5	
47	キタコブシ		226	242	47	キタコブシ 27.7	
48	エゾマツ		134	142	48	エゾマツ 15.9	
49	エゾマツ		318	342 枝	49	エゾマツ 39.2	
50	オヒョウ		250	269 鹿食	50	オヒョウ (25.6)	根 中折 シカ 皮剥

✓

イチ不明

5540	親木	1994	1999	欠点	欠点	品等	測定年月日	
51	ケヤマハンノキ	476	487	枝	17.2	(2)	51 ケヤマハンノキ	57.6
52	ケヤマハンノキ	288	295		7.7		52 ケヤマハンノキ	30.8
53	サビタ	98	107				53 サビタ	(7.3)
54	サビタ	68	69				54 サビタ	(5.5)
55	ヤチダモ	164	182	曲リ			55 ヤチダモ	22.4
56	ヤナキ sp	224	249				56 ヤナキ sp	27.6
57	ヤナキ sp	175	183				57 ヤナキ sp	19.6
58	ケヤマハンノキ	309	333	曲リ		(2)	58 ケヤマハンノキ	37.5
59	ヤナキ sp 15 SE	130	132	半枯			59 ヤナキ sp	(—)
60	ケヤマハンノキ	256	0	枯損			60 ケヤマハンノキ	
61	ケヤマハンノキ	102	0	枯損			61 ケヤマハンノキ	
62	ケヤマハンノキ	295	306				62 ケヤマハンノキ	33.3
63	ケヤマハンノキ	198	200	斜			63 ケヤマハンノキ	(20.0)
64	シラカンバ	380	402			(1)	64 シラカンバ	44.3
65	ケヤマハンノキ	291	294	傷			65 ケヤマハンノキ	(—)
66	ケヤマハンノキ	245	247				66 ケヤマハンノキ	25.9
67	ケヤマハンノキ	313	329				67 ケヤマハンノキ	35.1
68	ケヤマハンノキ	273	274	斜			68 ケヤマハンノキ	28.3
69	ケヤマハンノキ	252	254				69 ケヤマハンノキ	(24.9)
70	ケヤマハンノキ	253	256				70 ケヤマハンノキ	25.9
71	ケヤマハンノキ	239	244	鹿角			71 ケヤマハンノキ	24.6
72	ヤマグワ	115	121				72 ヤマグワ	13.2
73	エゾイタヤ	78	85				73 エゾイタヤ	9.2
74	エゾマツ	715	740	元D 枝		(3)	74 エゾマツ	78.5
75	シナノキ	175	178				75 シナノキ	(17.7)
76	ハルニレ (SW)	669	680	元D ガマ		(3)	76 ハルニレ	70.2
77	ハシトイ	125	130				77 ハシトイ	13.3
78	エゾマツ	258	268				78 エゾマツ	28.9
79	オオモジ	258	261				79 オオモジ	(25.9)
80	ハシトイ	58	61				80 ハシトイ	(7.3)
81	ハシトイ	78	0	倒れ 枯損			81 ハシトイ	
82	トマツ	71	75				82 トマツ	8.7
83	トマツ	437	460	枝		(2)	83 トマツ	49.2
84	トマツ	85	91				84 トマツ	(8.9)
85	エゾマツ	538	547	腐れ	7.7	(4)	85 エゾマツ	58.8
86	トマツ	162	172				86 トマツ	17.6
87	ウダイカンバ	110	116				87 ウダイカンバ	12.0
88	トマツ	71	77				88 トマツ	8.6
89	トマツ	133	154				89 トマツ	18.3
90	ハルニレ	879	906	元D 枝		(3)	90 ハルニレ	92.4
91	ヤチダモ	316	316	輪尺			91 ヤチダモ	34.4
92	ヤチダモ	314	322	輪尺			92 ヤチダモ	35.0
93	エゾマツ	246	261				93 エゾマツ	28.4
94	トマツ	292	306				94 トマツ	31.6
95	オヒョウ	323	345	鼠害 元曲		(3)	95 オヒョウ	38.4
96	エゾマツ	86	0	枯損			96 エゾマツ	
97	トマツ	312	319				97 トマツ	32.9
98	エゾマツ	134	137				98 エゾマツ	14.0
99	トマツ	74	77				99 トマツ	(8.0)
100	トマツ	69	72				100 トマツ	2.5

5540	親木	1994	1999	欠点	欠点	品等	測定年月日
101 トマツ	60	64					101 トマツ 6.9
102 トマツ	193	204					102 トマツ 23.1
103 エゾイタヤ	262	263					103 エゾイタヤ 26.3 枝枯 4+12
104 エゾマツ	124	137					104 エゾマツ 14.8
105 トマツ	280	307					105 トマツ 34.4 7+X
106 トマツ	87	0 枯損					106 トマツ ✓
107 ミスナラ	300	336 曲り	3				107 ミスナラ 39.5
108 シナノキ	83	0 枯損					108 シナノキ
109 トマツ	88	111 鹿角					109 トマツ 13.6 シカツ/
110 エゾマツ	173	179					110 エゾマツ 18.5
111 トマツ	221	234					111 トマツ 27.9
112 トマツ	50	75					112 トマツ 7.7 シカツ/
113 オオモジ	219	223					113 オオモジ 22.0 又
114 オオモジ	223	229					114 オオモジ 22.9 枝
115 トマツ	100	115					115 トマツ 14.0
116 オヒヨウ	88	0 枯損					116 オヒヨウ ✓ (枯ナシ)
117 イタヤsp ✓ 152	136	145					117 イタヤsp 15.1 ニ又 (片枝 152)
118 ミスナラ	390	421 ニ又	②				118 ミスナラ 46.2
119 エゾイタヤ	315	320					119 エゾイタヤ 32.6
120 ミヤマザクラ	219	221					120 ミヤマザクラ 32.9 立枯 4+12
121 ミヤマザクラ	253	260					121 ミヤマザクラ 26.5
122 エゾイタヤ	270	282					122 エゾイタヤ 30.2
123 エゾイタヤ	200	202					123 エゾイタヤ 19.5 枝 中折 12ナシ
124 エゾマツ	120	125					124 エゾマツ 13.0
125 エゾマツ	240	253					125 エゾマツ 26.6
126 トマツ	500	528 元D キコ	③				126 トマツ 57.2
127 ウダイカンバ	238	250					127 ウダイカンバ 25.6
128 ウダイカンバ	261	276					128 ウダイカンバ 29.2
129 トマツ	345	358 節	②				129 トマツ 38.0
130 トマツ	61	68					130 トマツ 7.1 3+4 立枯
131 エゾマツ	331	361 節	②				131 エゾマツ 40.8
132 エゾイタヤ	442	445 曲り ニ又	④				132 エゾイタヤ 45.1
133 ミスナラ	94	0 枯損					133 ミスナラ
134 トマツ 28.4ナシ	536	560 鹿食 節	②				134 トマツ 58.2 元D
135 エゾマツ	480	492 節	②				135 エゾマツ 51.1
136 エゾマツ	288	298					136 エゾマツ 31.7
137 トマツ	110	126					137 トマツ 12.4
138 エゾマツ	533	540 節	②				138 エゾマツ 55.0
139 トマツ	124	136					139 トマツ 15.5 シカツ/
140 エゾイタヤ	59	0 枯損					140 エゾイタヤ
141 トマツ	173	191					141 トマツ 22.8
142 トマツ	58	0 枯損					142 トマツ
143 オニグルミ	294	307					143 オニグルミ 32.1 実ナシ
144 ヤチタモ	183	188					144 ヤチタモ 18.4 枝倒
145 ヤチタモ	420	428 節 斜	2				145 ヤチタモ 45.9
146 ハルニレ	499	529 入皮	2				146 ハルニレ 58.3
147 シナノキ	360	368 曲り 枝	4				147 シナノキ (—) 枝倒
148 エゾマツ	428	463 枝	②				148 エゾマツ 53.0
149 ウダイカンバ (SW)	91	103					149 ウダイカンバ 11.7 7+X 26.5
150 サビタ 19	0	51 進界					150 サビタ 4.0 枝倒 シカ 12ナシ

5540 親木 1994 1999 欠点 欠点 品等			測定年月日	
151 ケヤマハンノキ , 59	0:	77 進界	151 ケヤマハンノキ ()	不明 親木 3は私レン
152 エゾイタヤ , 117	0:	111	152 エゾイタヤ 11.7	
153 0	0:	0	153 トド 6.7	
154 0	0:	0	154 " 5.2	
155 0	0:	0	155 ホオ 6.3	4
156 0	0:	0	156 エゾイタヤ 5.2	
157 0	0:	0	157 コア 8.2	
158 0	0:	0	158 ヤシ 5.6	
159 0	0:	0	159	
160 0	0:	0	160	
161 0	0:	0	161	
162 0	0:	0	162	
163 0	0:	0	163	
164 0	0:	0	164	
165 0	0:	0	165	
166 0	0:	0	166	
167 0	0:	0	167	
168 0	0:	0	168	
169 0	0:	0	169	
170 0	0:	0	170	
171 0	0:	0	171	
172 0	0:	0	172	
173 0	0:	0	173	
174 0	0:	0	174	
175 0	0:	0	175	
176 0	0:	0	176	
177 0	0:	0	177	
178 0	0:	0	178	
179 0	0:	0	179	
180 0	0:	0	180	
181 0	0:	0	181	
182 0	0:	0	182	
183 0	0:	0	183	
184 0	0:	0	184	
185 0	0:	0	185	
186 0	0:	0	186	
187 0	0:	0	187	
188 0	0:	0	188	
189 0	0:	0	189	
190 0	0:	0	190	
191 0	0:	0	191	
192 0	0:	0	192	
193 0	0:	0	193	
194 0	0:	0	194	
195 0	0:	0	195	
196 0	0:	0	196	
197 0	0:	0	197	
198 0	0:	0	198	
199 0	0:	0	199	
200 0	0:	0	200	

✓

PM
AM 930-1005

野帳	メジャー	ペンキ	札
大川	イナバ	岡本	／

終了	野帳入力		

2	ff	ff
1	アレンサ	1
1	コブシ	1
1	ホオ	1
7	ハン	田
3	サゼタ	7
1	エゾイタヤ	1

A hand-drawn diagram of a rectangular field. The top horizontal boundary is labeled with '26' at its right end. The right vertical boundary is labeled with '148' and '3R' at its bottom end. The bottom horizontal boundary is labeled with '58' at its left end, '56-57' in the middle, and '11' at its right end. The left vertical boundary is labeled with '76' and '117V' at its top end, and '58' and '117V' at its bottom end. A diagonal line connects the top-left corner to the bottom-right corner. There are some additional markings: '2? 表' near the top-left corner, '26' near the top-right corner, and '11' near the bottom-right corner.

